



ANSI/CAN/UL 12402-5:2024

**JOINT CANADA-UNITED STATES
NATIONAL ADOPTION**

STANDARD FOR SAFETY

Personal Flotation Devices – Part 5: Buoyancy Aids (Level 50) – Safety Requirements

(ISO 12402-5:2006, MOD)



ANSI/UL-12402-5-2024



SCC FOREWORD

National Adoption of Canada

A National Adoption of Canada is an International Standard, regional standard, or other international/regional deliverable approved by SCC in accordance with SCC's: *Requirements and Guidance-Accreditation for Standards Development Organizations*, and *Requirements and Guidance-Approval of National Adoptions of Canada Designation*. More information on National Adoption requirements can be found at www.scc.ca.

An SCC-approved adoption reflects the consensus of a number of experts whose collective interests provide, to the greatest practicable extent, a balance of representation of affected stakeholders. National Adoptions of Canada are intended to make a significant and timely contribution to the Canadian interest.

SCC is a Crown corporation within the portfolio of Industry Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts. Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Users should always obtain the latest edition of a National Adoption of Canada from the standards development organization responsible for its publication, as these documents are subject to periodic review.

ULNORM.COM : Click to view the full PDF of U124025-2024

UL Standard for Safety for Personal Flotation Devices – Part 5: Buoyancy Aids (Level 50) – Safety Requirements, ANSI/CAN/UL 12402-5

First Edition, Dated December 31, 2015

Summary of Topics

This revision of ANSI/CAN/UL 12402-5 dated November 8, 2024 includes the following changes:

- Clause 6DV.3.3 – Do Not Dry Clean, [6DV.3.3.1](#); and***
- Table 9DV - inflatable devices to be allowed use of materials without inflatable use codes, [5.1DV.3.13](#)***

ANSI/CAN/UL 12402-5 is an adoption with binational deviations of ISO Standard for Personal Flotation Devices – Part 5: Buoyancy Aids (Level 50) – Safety Requirements, first edition of ISO 12402-5: 2006-09-01, Technical Corrigendum 2006-12-01, and Amendment 1 dated 2010-06-01.

Text that has been changed in any manner or impacted by ULSE's electronic publishing system is marked with a vertical line in the margin.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated June 21, 2024 and September 11, 2024.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of ULSE Inc. (ULSE).

ULSE provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will ULSE be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if ULSE or an authorized ULSE representative has been advised of the possibility of such damage. In no event shall ULSE's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold ULSE harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 12402-5 2024



ANSI/UL 12402-5-2024

DECEMBER 31, 2015

(Title Page Reprinted: November 8, 2024)



1

ANSI/CAN/UL 12402-5:2024

**Standard for Personal Flotation Devices – Part 5: Buoyancy Aids (Level 50) –
Safety Requirements**

First Edition

December 31, 2015

This ANSI/CAN/UL Standard for Safety consists of the First Edition including revisions through November 8, 2024.

The most recent designation of ANSI/UL 12402-5 as an American National Standard (ANSI) occurred on November 8, 2024. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, Preface, and SCC Foreword.

This standard has been designated as a National Standard of Canada (NSC) on November 8, 2024.

© 2024 ULSE Inc. All rights reserved.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 12402-5 2024

CONTENTS

Preface (UL)..... **5**

NATIONAL DIFFERENCES **9**

Foreword **11**

Introduction..... **13**

1 Scope 15

 1DV.1 Modification by revising the first paragraph as follows: 15

 1DV.2 Addition of 1DV.2 to clause 1 as follows: 15

2 Normative references 15

 2DV Addition of 2DV to Clause 2 as follows: 15

3 Terms and definitions..... 16

 3.3DV DT Modification by deleting clause 3.3. 16

 3.11DV Modification by replacing the multi-chamber buoyancy system definition as follows: 16

 3.19DV Modification by adding a note to the hybrid-type PFD definition as follows: 17

 3.20DV Modification by adding bunching definition to clause 3:..... 17

 3.21DV DT Modification by adding sheltered waters definition to clause 3:..... 17

 3.22DV DT Modification by adding offshore definition to clause 3: 17

 3.23DV DT Modification by adding primary inflation definition to clause 3: 18

 3.24DV DT Modification by adding secondary inflation definition to clause 3: 18

 3.25DV DT Modification by adding primary inflation chamber(s) definition to clause 3: 18

 3.26DV DT Modification by adding back-up inflation chamber definition to clause 3: 18

 3.27DV DT Modification by adding supplemental inflation chamber definition to clause 3: .. 18

 3.28DV Modification by adding somatotypes definition to clause 3: 18

 3.29DV Modification by adding primary closure definition to clause 3: 19

 3.30DV Modification by adding secondary closure definition to clause 3: 19

 3.31DV DT Modification by adding structural component definition to clause 3: 19

 3.32DV Modification by adding design inflation range definition to clause 3:..... 19

 3.33DV Modification by adding user category definitions to clause 3: 19

 3.34DV DT Modification by adding whitewater definition to clause 3: 19

4 Classification 20

 4.1 Classes 20

 4.1DV DT Modification by replacing entire clause 4.1 as follows: 20

 4.2 Performance levels 21

 4.2DV DT Modification by replacing entire clause 4.2 as follows: 21

 4.2DV.2 Modification by adding a new Level 70 to 4.2, as follows: 22

5 Requirements 22

 5.1 General 22

 5.1DV Modification by replacing the second paragraph of clause 5.1 as follows: 22

 5.1DV.2 Modification by replacing third paragraph of clause 5.1 as follows: 23

 5.1DV.3 Modification by adding the following new paragraphs to clause 5.1:..... 23

 5.2 Combination of lifejackets and accessories 24

 5.3 Types of buoyancy..... 26

 5.3.5DV Modification by adding clause 5.3.5DV, (5.3.5DV.1 – 5.3.5DV.7 and Table 3DV), V-factor requirements, to clause to 5.3..... 29

 5.4 Conspicuousness 31

 5.5 Strength..... 31

 5.5DV Modification by replacing first paragraph of clause 5.5 as follows: 32

 5.5DV.1 Modification by replacing second paragraph of clause 5.5 as follows: 32

 5.5DV.2 Modification by replacing third paragraph of clause 5.5 as follows: 32

- 5.5DV.3 Modification by adding the following new paragraphs to clause 5.5: 32
- 5.6 Performance 33
- 5.7 Multi-chamber buoyancy systems 38
- 5.7DV Modification by replacing clause 5.7 as follows: 38
- 5.8DV Modification by adding clause 5.8DV: 38
- 6 Marking 40
 - 6.1 General 40
 - 6.2 Information on the buoyancy aid 40
 - 6DV Modification by replacing entire clause 6 as follows: 42
- 7 Information supplied by the manufacturer 54
 - 7DV Modification by replacing entire clause 7 as follows: 54
- 8 Consumer information at point of sale 71
 - 8.1 General 71
 - 8.2 Plain text version 71
 - 8.3 Data list 73
 - 8.4 Pictograms 74
 - 8.5 Colour-code 75
 - 8DV Modification by replacing entire clause 8 as follows: 75

Bibliography

ULNORM.COM : Click to view the full PDF of UL 12402-5 2024

Preface (UL)

This is the First Edition of the ANSI/CAN/UL 12402-5, Standard for Personal Flotation Devices – Part 5: Buoyancy Aids (Level 50) – Safety Requirements, which is a National Adoption of the first edition of ISO 12402-5: 2006-09-01, Technical Corrigendum 2006-12-01, and Amendment 1 dated 2010-06-01.

ULSE is accredited by the American National Standards Institute (ANSI) and the Standards Council of Canada (SCC) as a Standards Development Organization (SDO).

This Standard has been developed in compliance with the requirements of ANSI and SCC for accreditation of a Standards Development Organization.

This ANSI/CAN/UL 12402-5 Standard for Safety is under continuous maintenance, whereby each revision is approved in compliance with the requirements of ANSI and SCC for accreditation of a Standards Development Organization. In the event that no revisions are issued for a period of four years from the date of publication, action to revise, reaffirm, or withdraw the standard shall be initiated.

In Canada, there are two official languages, English and French. All safety warnings must be in French and English. Attention is drawn to the possibility that some Canadian authorities may require additional markings and/or installation instructions to be in both official languages.

Comments or proposals for revisions on any part of the Standard may be submitted to ULSE at any time. Proposals should be submitted via a Proposal Request in UL's Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

Our Standards for Safety are copyrighted by ULSE Inc. Neither a printed nor electronic copy of a Standard should be altered in any way. All of our Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of ULSE Inc.

This Edition of the Standard has been formally approved by the Technical Committee (TC) on Personal Flotation Devices, TC 1123.

This list represents the TC 1123 membership when the final text in this standard was balloted. Since that time, changes in the membership may have occurred.

TC 1123 MEMBERSHIP

Name	Representing	Category	Region
Susan Balistreri	Balistreri Consulting, Inc.	Producer	USA
David Broadbent	ABYC	Testing & Standards Org.	USA
Dennis Campbell	IMANNA Laboratory	Testing & Standards Org.	USA
Milos Coric	UL Standards & Engagement	TC Chair	USA
Thomas Dardis	US Coast Guard Headquarters	Government	USA
Jack Davis	Takashina Life Preservers Company, Ltd. DBA TLPC JAPAN	Producer	Japan
Brenda Espelien	PFD Consultants, Inc.	General Interest	USA
Troy Faletra	Throw Raft LLC	Producer	USA

TC 1123 MEMBERSHIP Continued on Next Page

ULSE INC. COPYRIGHTED MATERIAL – NOT AUTHORIZED FOR FURTHER REPRODUCTION OR DISTRIBUTION WITHOUT PERMISSION FROM ULSE INC.

TC 1123 MEMBERSHIP Continued

Name	Representing	Category	Region
John Fetterman	NASBLA	General Interest	USA
Sam Fowlkes	American Canoe Association	Commercial / Industrial User	USA
Robin Holcomb	Sport Dimension	Producer	USA
Betty Holthouser	Standards Individuals	Consumer	USA
Ross Johnston	Industry Consultant Life Jackets & Survival Gear	Producer	Canada
Michael Kirkland	UL Solutions	Testing & Standards Org.	United Kingdom
Daniel Lanternari	Erez Thermoplastic Products	Supply Chain	Israel
Leon Larson	USA Water Ski	Commercial / Industrial User	USA
Allan Laursen	FORCE Certification A/S	Testing & Stds Org	Denmark
Joshua LeBlanc	West Jackson Fire Department	Authorities Having Jurisdiction / Regulator	USA
Emilie Letourneau	Transport Canada	Government	Canada
Astrid Lozano	Public Works & Government Services Canada	Non voting member	Canada
Robert Markle	Markle Marine Safety Services LLC	General Interest	USA
Michelle McShane	Paddle Canada	Commercial / Industrial User	Canada
David Moffatt	Ontario Provincial Police	Government	Canada
Lisa Hanson Ouellette	Lifesaving Society Ontario Branch	General Interest	Canada
Guy Perrin	Sail Canada	Consumer	Canada
Paul Potter	The Cord Group Ltd.	General Interest	Canada
Robert Rippy	The Coleman Company, Inc.	Producer	USA
Steve Rogier	Halkey-Roberts Corp.	Producer	USA
Lee Stanford	Leland Ltd, Inc.	Producer	USA
Jacob Stewart	UL Standards & Engagement	TC Project Manager	Canada
Joseph Stimatz	Standards Individuals	Consumer	USA
Garfield Tam	Department of National Defence	Government	Canada
Doug Thomas	DSS Protection	Producer	Canada
Myles Uren	SPINLOCK	Producer	United Kingdom
Allen Van Camp	AJV Inc.	Producer	USA
Wayne Walters	Kent Sporting Goods Co., Inc.	Producer	USA
Samuel Wehr	Standards Individuals	Consumer	USA
Jacqi Yurkovich	US Coast Guard	Government	USA

12402 LABELING TASK GROUP

MEMBER	REPRESENTING
Rob Rippy (Chair)	The Coleman Company, Inc.
Roxanne Standefer	Standards Individuals
Brandi Baldwin	US Coast Guard
Jacqueline Yurkovich	US Coast Guard
Samuel Wehr	Standards Individuals
Jack Davis	Takashina Life Preservers Company, Ltd. DBA TLPC JAPAN
Susan Balistreri	Balistreri Consulting, Inc.
Dennis Campbell	IMANNA Laboratory
Michael Kirkland	UL Solutions
Wayne Walters	Kent Sporting Goods Co., Inc.
Nicolette Weeks	UL Standards & Engagement

12402 TASK GROUP

MEMBER	REPRESENTING
Wayne Walters (Chair)	Kent Sporting Goods Co., Inc.
Roxanne Standefer	Standards Individuals
Brandi Baldwin	US Coast Guard
Jacqueline Yurkovich	US Coast Guard
Samuel Wehr	Standards Individuals
Joseph Stimatz	Standards Individuals
Jack Davis	Takashina Life Preservers Company, Ltd. DBA TLPC JAPAN
Susan Balistreri	Balistreri Consulting, Inc.
Dennis Campbell	IMANNA Laboratory
Michael Kirkland	UL Solutions
Robert Rippy	The Coleman Company, Inc.
Robin Holcomb	Sport Dimension DBA Body Glove Wetsuit Co., DBA
Nicolette Weeks	UL Standards & Engagement

International Classification for Standards (ICS): 13.340.70

For information on ULSE Standards, visit <https://www.shopulstandards.com>, call toll free 1-888-853-3503 or email us at ClientService@shopULStandards.com.

This Standard is intended to be used for conformity assessment.

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for this particular application.

CETTE ADOPTION NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE

Reasons for Differences from ISO

National Differences from the ISO standard are being added in order to address regulatory and safety situations present in the US and Canada.

ULNORM.COM : Click to view the full PDF of UL 12402-5 2024

NATIONAL DIFFERENCES

There are six types of National Differences as noted below. The difference type is noted on the first line of the National Difference in the standard. The standard may not include all types of these National Differences. The National Differences in this standard were developed via a binational effort by the Canada / US 12402 Task Group.

DR – These are National Differences based on the **national regulatory requirements**.

D1 – These are National Differences which are based on **basic safety principles and requirements**, elimination of which would compromise safety for consumers and users of products.

D2 – These are national differences from ISO requirements based on existing **safety practices**. These requirements reflect national safety practices, where empirical substantiation (for the IEC or national requirement) is not available or the text has not been included in the IEC standard.

DC – These are National Differences based on the **component standards** and will not be deleted until a particular component standard is harmonized with the ISO component standard.

DE – These are National Differences based on **editorial comments or corrections**. Some examples of editorial comments or corrections include replacing "lifejacket" with "PPD" or vice versa and correcting paragraph references.

DT – These are National Differences that are the result of pending changes that have been tentatively agreed internationally by ISO TC188/SC1 for the next edition of the standard and therefore are expected outcomes of the second edition of ISO 12402. These changes include both clarifications and substantive changes in requirements and that will be reviewed when the next edition of ISO 12402 is published.

Each national difference contains a description of what the national difference entails. Typically one of the following words is used to explain how the text of the national difference is to be applied to the base ISO text:

Addition / Add – An addition entails adding a complete new numbered clause, subclause, table, figure, or annex. Addition is not meant to include adding select words to the base ISO text.

Modification / Modify – A modification is an altering of the existing base ISO text such as the addition, replacement or deletion of certain words or the replacement of an entire clause, subclause, table, figure, or annex of the base ISO text

Deletion / Delete – A deletion entails complete deletion of an entire numbered clause, subclause, table, figure, or annex without any replacement text.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 12402-5 2024

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 124025 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 162, *Protective clothing including hand and arm protection and lifejackets*, in collaboration with Technical Committee ISO/TC 188, *Small craft*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 12402 consists of the following parts, under the general title *Personal flotation devices*:

- *Part 1: Lifejackets for seagoing ships – Safety requirements*
- *Part 2: Lifejackets, performance level 275 – Safety requirements*
- *Part 3: Lifejackets, performance level 150 – Safety requirements*
- *Part 4: Lifejackets, performance level 100 – Safety requirements*
- *Part 5: Buoyancy aids (level 50) – Safety requirements*
- *Part 6: Special purpose lifejackets and buoyancy aids – Safety requirements and additional test methods*
- *Part 7: Materials and components – Safety requirements and test methods*
- *Part 8: Accessories – Safety requirements and test methods*
- *Part 9: Test methods*
- *Part 10: Selection and application of personal flotation devices and other relevant devices*

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 12402-5 2024

Introduction

ISO 12402 has been prepared to give guidance on the design and application of personal flotation devices (hereafter referred to as PFDs) for persons engaged in activities, whether in relation to their work or their leisure, in or near water. PFDs manufactured, selected, and maintained to this standard should give a reasonable assurance of safety from drowning to a person who is immersed in water.

Requirements for lifejackets on large, commercial seagoing ships are regulated by the International Maritime Organization (IMO) under the International Convention for the Safety of Life at Sea (SOLAS). ISO 12402-1 addresses lifejackets for seagoing ships.

ISO 12402 allows for the buoyancy of a PFD to be provided by a wide variety of materials or designs, some of which may require preparation before entering the water (e.g. inflation of chambers by gas from a cylinder or blown in orally). However, PFDs can be divided into the following two main classes:

- those which provide face up in-water support to the user regardless of physical conditions (lifejackets and infant buoyancy aids), and
- those which require the user to make swimming and other postural movements to position the user with the face out of the water (buoyancy aids except for infant buoyancy aids).

Within these main two classes there are a number of levels of support, types of buoyancy, activation methods for inflatable devices, and auxiliary items (such as location aids), all of which will affect the user's probability of survival. Within the different types of buoyancy allowed, inflatable PFDs either provide full buoyancy without any user intervention other than arming (i.e. PFDs inflated by a fully automatic method) or require the user to initiate the inflation. Hybrid PFDs always provide some buoyancy but rely on the same methods as inflatable PFDs to achieve full buoyancy. With inherently buoyant PFDs, the user only needs to put the PFD on to achieve the performance of its class.

PFDs that do not require intervention (automatically operating PFDs) are suited to activities where persons are likely to enter the water unexpectedly; whereas PFDs requiring intervention (e.g. manually inflated PFDs) are only suitable for use if the user believes there will be sufficient time to produce full buoyancy, or help is close at hand. In every circumstance, the user should ensure that the operation of the PFD is suited to the specific application. The conformity of a PFD to this part of ISO 12402 does not imply that it is suitable for all circumstances. The relative amount of required inspection and maintenance is another factor of paramount importance in the choice and application of specific PFDs.

ISO 12402 is intended to serve as a guide to manufacturers, purchasers, and users of such safety equipment in ensuring that the equipment provides an effective standard of performance in use. Equally essential is the need for the designer to encourage the wearing of the equipment by making it comfortable and attractive for continuous wear on or near water, rather than for it to be stored in a locker for emergency use. Throwable devices and flotation cushions are not covered by this part of ISO 12402. The primary function of a PFD is to support the user in reasonable safety in the water. Within the two classes, alternative attributes make some PFDs better suited to some circumstances than others or make them easier to use and care for than others. Important alternatives allowed by ISO 12402 are the following:

- to provide higher levels of support (levels 100, 150, or 275) that generally float the user with greater water clearance, enabling the user's efforts to be expended in recovery rather than avoiding waves; or to provide lighter or less bulky PFDs (levels 50 or 100);
- to provide the kinds of flotation (inherently buoyant foam, hybrid, and inflatable) that will accommodate the sometimes conflicting needs of reliability and durability, in-water performance, and continuous wear;
- to provide automatically operating (inherently buoyant or automatically inflated) PFDs that float users without any intervention on their part, except in initially donning the PFD (and regular inspection and rearming of inflatable types), or to provide user control of the inflatable PFD's buoyancy by manual and oral operation; and

– to assist in detection (location aids) and recovery of the user.

PFDs provide various degrees of buoyancy in garments that are light in weight and only as bulky and restrictive as needed for their intended use. They will need to be secure when worn, in order to provide positive support in the water and to allow the user to swim or actively assist herself/himself or others. The PFD selected shall ensure that the user is supported with the mouth and nose clear of the water under the expected conditions of use and the user's ability to assist.

Under certain conditions (such as rough water and waves), the use of watertight and multilayer clothing, which provide (intentionally or otherwise) additional buoyancy, or the use of equipment with additional weight (such as tool belts) will likely alter the performance of the PFD. Users, owners and employers need to ensure that this is taken into account when selecting a PFD. Similarly, PFDs may not perform as well in extremes of temperature, although fully approved under this part of ISO 12402. PFDs may also be affected by other conditions of use, such as chemical exposure and welding, and may require additional protection to meet the specific requirements of use. If the user intends taking a PFD into such conditions, she/he has to be assured that the PFD will not be adversely affected. This part of ISO 12402 also allows a PFD to be an integral part of a safety harness designed to conform to ISO 12401, or an integral part of a garment with other uses, for example to provide thermal protection during immersion, in which case the complete assembly as used is required to conform to this part of ISO 12402.

In compiling the attributes required of a PFD, consideration has also been given to the potential length of service that the user might expect. Whilst a PFD needs to be of substantial construction and material, its potential length of service often depends on the conditions of use and storage, which are the responsibility of the owner, user and/or employer. Furthermore, whilst the performance tests included are believed to assess relevant aspects of performance in real-life use, they do not accurately simulate all conditions of this. For example, the fact that a device passes the self-righting tests in swimming attire, as described herein, does not guarantee that it will self-right an unconscious user wearing waterproof clothing; neither can it be expected to completely protect the airway of an unconscious person in rough water. Waterproof clothing can trap air and further impede the self-righting action of a lifejacket.

It is essential that owners, users and employers choose those PFDs that meet the correct standards for the circumstances in which they will be used. Manufacturers and those selling PFDs have to make clear to prospective purchasers the product properties, alternative choices and the limitations to normal use, prior to the purchase.

Similarly, those framing legislation regarding the use of these garments should consider carefully which class and performance levels are most appropriate for the foreseeable conditions of use, allowing for the higher risk circumstances. These higher risk circumstances should account for the highest probabilities of occurrence of accidental immersion and the expected consequences in such emergencies. More information on the selection and application is given in ISO 12402-10.