



# UL 60730-2-12

## STANDARD FOR SAFETY

Automatic Electrical Controls – Part 2-12: Particular Requirements for Electrically Operated Door Locks

ULNORM.COM : Click to view the PDF of UL 60730-2-12 2022

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 60730-2-12 2022

UL Standard for Safety for Automatic Electrical Controls – Part 2-12: Particular Requirements for Electrically Operated Door Locks, UL 60730-2-12

Third Edition, Dated May 11, 2017

### **Summary of Topics**

***This revision of ANSI/UL 60730-2-12 dated June 9, 2022 is being issued to update the title page to reflect the most recent designation as a Reaffirmed American National Standard (ANS). No technical changes have been made.***

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The requirements are substantially in accordance with Proposal(s) on this subject dated April 15, 2022.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

[ULNORM.COM](https://ULNORM.COM) : Click to view the full PDF of UL 60730-2-12 2022

**MAY 11, 2017**  
(Title Page Reprinted: June 9, 2022)



**ANSI/UL 60730-2-12-2017 (R2022)**

1

**UL 60730-2-12**

**Standard for Automatic Electrical Controls – Part 2-12: Particular  
Requirements for Electrically Operated Door Locks**

Prior to the second edition of UL 60730-2-12, the requirements for the products covered by this Standard were included in UL 60730-2-12A.

First Edition – February, 2002  
Second Edition – June, 2014

**Third Edition**

**May 11, 2017**

This ANSI/UL Standard for Safety consists of the Third Edition including revisions through June 9, 2022.

The most recent designation of ANSI/UL 60730-2-12 as a Reaffirmed American National Standard (ANS) occurred on June 9, 2022. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

**COPYRIGHT © 2022 UNDERWRITERS LABORATORIES INC.**

No Text on This Page

[ULNORM.COM](http://ULNORM.COM) : Click to view the full PDF of UL 60730-2-12 2022

## CONTENTS

<b>Preface (UL)</b> .....	<b>5</b>
<b>NATIONAL DIFFERENCES</b> .....	<b>7</b>
<b>FOREWORD</b> .....	<b>9</b>
1 Scope and normative references .....	13
1.1 Scope .....	13
2 Terms and definitions.....	14
2.2 Definitions of types of control according to purpose .....	14
2.3 Definitions relating to the function of controls .....	14
3 General requirements.....	15
4 General notes on tests.....	15
4.1 Conditions of test.....	15
5 Rating .....	15
6 Classification .....	15
6.3 According to their purpose.....	15
6.4 According to features of automatic action .....	16
7 Information .....	16
7.2 Methods of providing information .....	16
8 Protection against electric shock .....	16
9 Provision for protective earthing .....	17
10 Terminals and terminations .....	17
11 Constructional requirements.....	17
12 Moisture and dust resistance.....	17
13 Electric strength and insulation resistance.....	17
14 Heating.....	17
15 Manufacturing deviation and drift.....	17
15DV Modification of 15 of the Part 2 by adding the following note: .....	17
16 Environmental stress.....	17
17 Endurance .....	17
17.1.3.1DV.1 Modification of 17.1.3.1 of the Part 2 by adding the following note: .....	18
17.3 Thermal conditions for the tests .....	18
17.4 Manual and mechanical conditions for the tests .....	18
17.7 Overvoltage (or, in Canada and the USA, overload) test of automatic action at accelerated rate .....	19
17.8 Test of automatic action at accelerated rate .....	19
17.9 Test of automatic action at slow rate .....	19
17.10 Overvoltage (or overload test in Canada USA and 17.10 all countries that use the overload test) of manual action at accelerated speed .....	19
17.11 Test of manual action at slow speed.....	20
17.12 Test of manual action at high speed.....	20
17.13 Test of manual action at accelerated speed.....	20
17.16DV Addition to the Part 2: .....	20
18 Mechanical strength .....	20
18.101 Locking tests .....	20
19 Threaded parts and connections.....	21
20 Creepage distances, clearances and distances through solid insulation.....	21
21 Resistance to heat, fire and tracking .....	21
22 Resistance to corrosion .....	21
23 Electromagnetic compatibility (EMC) requirements – Emission .....	21
24 Components .....	21
25 Normal operation.....	21